

STATE: Uttar Pradesh



DATED:01/07/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

**SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)**

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	QCI	Approval by Sub-Committee of NCVT	
1 A.Y.T Private ITI, Vill-Ghataila Gaji, Post & District-Deoria Uttar Pradesh  DGET-6/24/1/2013-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	Assessment-18/02/2013 SIR-14/06/2013 w.e.f. Aug 2013
	Electrician	2(1+1)	2(1+1)	2(1+1)	
2 Janta Vedik Private ITI, Baraut, Baghpat Dist. Meerut Uttar Pradesh  DGET-6/24/10/93-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 3(1+1+1)	DIR-25/5/2012 SIR-10/05/2013 w.e.f. Aug 2013
	Electrician	Addl. 2 Units	-	Addl. 2 units Total 6(2+2+2)	
3 Abhudaya Private ITI, N.H.24, Gang nahar, Vill- Mansoori, Manikpur, Dist- Ghaziabad Pin-201206 Uttar Pradesh  DGET-6/24/02/2013-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	Assessment-11/01/2013 SIR-14/06/2013 w.e.f. Aug 2013
	Electrician	2(1+1)	2(1+1)	2(1+1)	
4 Kalpana Private ITI, 70/12, Nehru Nagar, Station Road, Sector-3, Suhag Nagar, Dist. Firozabad Uttar Pradesh  DGET-6/24/3/2013-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	*	Assessment-6/6/2013 *1. Meter Sealing report dated 18.05.2012 after one year no any bill is attached. Latest Electricity bill is required. 2. There are open wiring and no proper foundation of General (heavy) machinery and no proper class room (theory room 2 JPG) are shown in CD. QCI to clarify.
	Fitter	2(1+1)	NR	NC	

-1-

पी. एन. यादव / P. N. YADAV  
संयुक्त निदेशक/प्रशिक्षण, Joint Director Training  
डी.जी.ई. एण्ड टी., श्रम एवं रोजगार मंत्रालय  
D.G.E.&T., Min. of Labour & Employment  
भारत

STATE: Uttar Pradesh




DATED:01/07/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

**SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)**

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	QCI	Approval by Sub-Committee of NCVT	
5 Bhagwati Devi Private ITI, Garautha, Dist. Jhansi Uttar Pradesh  DGET-6/24/4/2013-TC (New Pvt.)	Draughtsman Civil	2(1+1)	2(1+1)	*	Assessment-31/5/2013 w.e.f. Aug 2013 *Bill of Auto CAD software is not enclosed. QCI to clarify.
	Plumber	2(1+1)	2(1+1)	2(1+1)	
	Fitter	2(1+1)	NR	NC	
6 NGI Private ITI, NH-58, Pawli Khas, Modipuram, Sardhana, Dist. Meerut Uttar Pradesh  DGET-6/24/5/2013-TC (New Pvt.)	Draughtsman Civil	2(1+1)	2(1+1)	2(1+1)	Assessment-3/6/2013 w.e.f. Aug 2013 *Server and laptop is not available. QCI to clarify.
	Draughtsman Mech.	2(1+1)	2(1+1)	2(1+1)	
	Fitter	2(1+1)	2(1+1)	2(1+1)	
	Welder	2(1+1)	2(1+1)	2(1+1)	
	Building Maintainer	2(1+1)	2(1+1)	2(1+1)	
	Electrician	2(1+1)	2(1+1)	2(1+1)	
	Plumber	2(1+1)	2(1+1)	2(1+1)	
DTPO	2(1+1)	2(1+1)	*		

  
**पी. एन. यादव/P. N. YADAV**  
 संयुक्त निदेशक प्रशिक्षण/Joint Director Training  
 डी.जी.ई. एण्ड टी., श्रम एवं रोजगार मंत्रालय  
 D.G.E.&T., Min. of Labour & Employment  
 भारत सरकार